

COOL PRODUCTS WORLDWIDE





COLD ROOMS

COLD ROOMS (COOLING) - COLD ROOMS (FREEZING)

Cold rooms and freezer rooms are perfect as plug-in with quick and easy assemble. The cooling units comes completely pre-mounted in a panel and does not require extra expert knowledge. There is no need for cutting or drilling when assembling.

The interchangeable modular panels even allow varies positioning of both the panel with the cooling unit and the panel with the door.

The cold rooms can be used in restaurants, delis, cafes etc. They are a great way to create optimal and efficient cooling space at a very affordable price. Cold rooms are a perfect and easily accessable way to store foods, dairy products, and beverages.

The many different cold room sizes give a good fit in most conditions. Cold rooms are available as both cooler and freezer models. Shelves are optional.







General info about our cold rooms

- Temperature range from 0 to +8 °C
- Plug-in meaning it is ready to use after assembly
- · Interlocking system makes it easy to assemble the cold room (tools are packed with the products)
- 80 mm panel insulation
- Low energy consumption compared to size (ranging from 17,93 to 25,92 kWh/24h)
- Eco-friendly refrigerant R290
- No special installation requirements, as refrigerant charge is below 150 g
- Anti-slip floor in SS304 stainless steel
- Max load on floor is 1500 kg/m2
- · All stocked products are ready in our web shop. For "to-order products", please contact your regular sales team

General info about our freezer rooms

- Temperature range from -20 to 0 °C
- Plug-in meaning it is ready to use after assembly
- · Interlocking system makes it easy to assemble the freezer room
- (tools are packed with the products) 120 mm panel insulation
- Low energy consumption compared to size (ranging from 22,49 to 31,78 kWh/24h)
- Eco-friendly refrigerant R290
- No special installation requirements, as refrigerant charge is below 150 g
- Anti-slip floor in SS304 stainless steel
- Max load on floor is 2000 kg/m2
- · All stocked products are ready in our web shop. For "to-order products", please contact your regular sales team





Real life installation

A very satisfied TEFCOLD costumer in Hellevad, Denmark got these two rooms. A cold room CRPF2130 (item 44183) and a freezer room CRNF2130 (item 44239) with corresponding shelf rack system kit (item 45721) and ramp (accessory item 44317).














Easy assembly and (almost) endless possibilities


Our cold rooms and freezer rooms are easy to assemble. They are built from panels with an interlocking system. This means that you can create various constellations, where you e.g. move the door or the panel with the cooling unit.

You only need to make sure that you switch the door or the cooling unit with a panel with the same dimensions and shape. The illustrations in this catalogue are therefore only one example of how each room could look like.

We have many cold rooms and freezer rooms to choose from. If you would like to customize your own cooling solution, you can also buy panel kits and cooling units individually.



No matter which solution you choose, the cooling unit always comes as a separate piece to optimize transport. To install it, simply exchange it with the corresponding top panel as seen on the illustration.







Cold Rooms - available sizes

Our cold rooms are available in numerous sizes – some in stock (marked with an \star) others as "to-order products". Lead time on to-order products are 8-10 weeks.

Cold Roor	n Complete				Shelf Rack System Kit
		External dimensions	Internal dimensions	Internal volume	
ltem no.	Model	WxDxH / wall thickness (mm)	WxDxH (mm)	(m3)	ltem no.
44162	CRPF1212	1200x1200x2200 / 80	1040×1040×2040	2,20	46196
44163	CRPF1215	1200x1500x2200 / 80	1040×1340×2040	2,84	46196
44164	CRPF1218	1200x1800x2200 / 80	1040×1640×2040	3,48	46197
44165	CRPF1221	1200x2100x22000 / 80	1040×1940×2040	4,10	46198
44166	CRPF1224	1200x2400x2200 / 80	1040×2240×2040	4,75	46199
44167	CRPF1227	1200x2700x2200 / 80	1040x2540x2040	5,39	46200
44168	CRPF1230	1200x3000x2200 / 80	1040×2840×2040	6,03	46201
44169	CRPF1515	1500x1500x2200 / 80	1340x1340x2040	3,66	45707
44170	CRPF1518	1500x1800x2200 / 80	1340×1640×2040	4,48	45865
*44171	CRPF1521	1500x2100x2200 / 80	1340×1940×2040	5,30	45709
44172	CRPF1524	1500x2400x2200 / 80	1340x2240x2040	6,12	45866
44173	CRPF1527	1500x2700x2200 / 80	1340x2540x2040	6,94	46202
44174	CRPF1530	1500x3000x2200/ 80	1340×2840×2040	7,76	46203
*44394	CRPF1815	1800x1500x2200 / 80	1640x1340x2040	4,48	45713
44175	CRPF1818	1800x1800x2200/ 80	1640x1640x2040	5,49	45867
44176	CRPF1821	1800x2100x2200 / 80	1640x1940x2040	6,49	46204
44177	CRPF1824	1800x2400x2200 / 80	1640x2240x2040	7,49	46206
44178	CRPF1827	1800x2700x2200 / 80	1640x2540x2040	8,50	46212
44179	CRPF1830	1800x3000x2200 / 80	1640x2840x2040	12,34	46213
*44180	CRPF2121	2100x2100x2200 / 80	1940x1940x2040	7,68	45716
44181	CRPF2124	2100x2400x2200 / 80	1940x2240x2040	8,87	46214
*44182	CRPF2127	2100x2700x2200 / 80	1940x2540x2040	10,05	45720
*44183	CRPF2130	2100x3000x2200 / 80	1940×2840×2040	11,24	45724
44184	CRPF2424	2400x2400x2200 / 80	2240x2240x2040	10,24	45869
44185	CRPF2427	2400x2700x2200 / 80	2240x2540x2040	11,60	46215
*44186	CRPF2430	2400x3000x2200 / 80	2240x2840x2040	12,98	45512
44187	CRPF2727	2700x2700x2200 / 80	2540x2540x2040	13,16	45726
44188	CRPF2730	2700x3000x2200 / 80	2540x2840x2040	14,72	46216
44189	CRPF3030	3000x3000x2200 / 80	2840x2840x2040	16,45	46217





	120	150	180	210	240	270	300
120	5						
150	50	150	150				
180	9	150	180				
210	120	150 0 7	180 O N	210			
240	120	150	180	210	240		
270	120	150	180	210	240	270	
300	120	150	180	216	240	-270	300





Freezer Rooms - available sizes

Our freezer rooms are available in numerous sizes – some in stock (marked with an \star) others as "to-order products". Lead time on to-order products are 8-10 weeks.

Freezer Ro	oom Comple	te			Shelf Rack System Kit
Item no.	Model	External dimensions WxDxH / wall thickness (mm)	Internal dimensions WxDxH (mm)	Internal volume (m3)	Item no.
44218	CRNF1212	1200x1200x2200 / 120	960x960x1960	1,81	46218
44219	CRNF1215	1200x1500x2200 / 120	960x1260x1960	2,37	46218
44220	CRNF1218	1200x1800x2200 / 120	960x1560x1960	2,94	46219
44221	CRNF1221	1200x2100x2200 / 120	960x1860x1960	3,50	46220
44222	CRNF1224	1200x2400x2200 / 120	960x2160x1960	4,06	46221
44223	CRNF1227	1200x2700x2200 / 120	960x2460x1960	4,63	46222
44224	CRNF1230	1200x3000x2200 / 120	960x2760x1960	5,19	46223
44225	CRNF1515	1500x1500x2200 / 120	1260x1260x1960	3,11	45708
44226	CRNF1518	1500x1800x2200 / 120	1260x1560x1960	3,85	45511
44227	CRNF1521	1500x2100x2200 / 120	1260x1860x1960	4,59	45710
44228	CRNF1524	1500x2400x2200 / 120	1260x2160x1960	5,33	45522
44229	CRNF1527	1500x2700x2200 / 120	1260x2460x1960	6,08	46224
44230	CRNF1530	1500x3000x2200 / 120	1260x2760x1960	6,82	46225
44396	CRNF1815	1800x1500x2200 / 120	1560x1260x1960	3,85	45712
44231	CRNF1818	1800x1800x2200 / 120	1560x1560x1960	4,77	45523
44232	CRNF1821	1800x2100x2200 / 120	1560x1860x1960	5,69	46226
44233	CRNF1824	1800x2400x2200 / 120	1560x2160x1960	6,60	46227
44234	CRNF1827	1800x2700x2200 / 120	1560x2460x1960	7,52	46228
44235	CRNF1830	1800x3000x2200 / 120	1560x2760x1960	8,44	46229
*44236	CRNF2121	2100x2100x2200/ 120	1860x1860x1960	6,78	45715
44237	CRNF2124	2100x2400x2200 / 120	1860x2160x1960	7,87	46230
44238	CRNF2127	2100x2700x2200 / 120	1860x2460x1960	8,97	45719
44239	CRNF2130	2100x3000x2200 / 120	1860x2760x1960	10,06	45721
44240	CRNF2424	2400x2400x2200 / 120	2160x2160x1960	9,14	45864
44241	CRNF2427	2400x2700x2200 / 120	2160x2460x1960	10,41	46231
44242	CRNF2430	2400x3000x2200 / 120	2160x2760x1960	11,68	45722
44243	CRNF2727	2700x2700x2200 / 120	2460x2460x1960	11,86	45723
44244	CRNF2730	2700x3000x2200 / 120	2460x2760x1960	13,31	46232
44245	CRNF3030	3000x3000x2200 / 120	2760x2760x1960	14,93	46233





	120	150	180	210	240	270	300
120	120						
150	120	150	180				
180	120	150	180				
210	0.7	150	180	210			
240	120	150	180	210	-240 —		
270	120	150	180	210	2.40	270 -	
300	000	150	180	210	-240	270	- 300





Shelf rack modules available as accessories

- The item numbers on this page represents individual shelf racks. If you would like a complete shelf rack kit, see page 7 for cold room overview and page 9 for freezer room overview.
- Famous system patented uprights / horizontal shelf rails
- Allowing "L", "U", "T" and "+" layouts
- Easy and quickly assembly
- Highest hygienic standards, dishwasher safe (-30 C / +90 C)
- 90kg/level and 450kg between 2 uprights

ltem no.	Туре	Size WxDxH in cm
46194	H-module	900x360x1680
46193	H-module	1005x360x1680
46717	H-module	1105x360x1680
45503	H-module	1205x360x1680
45504	H-module	1410x360x1680
45505	H-module	1510x360x1680
45506	E-module	659x360x1680
46195	E-module	759x360x1680
45711	E-module	859x360x1680
45718	E-module	964x360x1680
45521	E-module	1064x3601680
45507	E-module	1164x360x1680
46704	E-module	1264x360x1680
45509	E-module	1469x360x1680

Additional accessories

Item no.	Туре		
13680	Alarm kit for freezer rooms		
44316	Strip curtain for frezer rooms		
45344	Ramp for freezer rooms (120 mm)		
44317	Ramp for cold rooms (80 mm)		
47840	Wheels for shelf rack modules – with brake		
47841	Wheels for shelf rack modules – no brake		










Optional wheels











WHY BUY FROM US



Always a solution in stock for you

As you can see in this catalogue, we offer a wide range of coolers and freezers, and we always have more than 70.000 units in stock.



Global delivery

To ensure fast delivery, we have offices and warehousing throughout Europe. No minimum order quantity, mix your order as preferred and enjoy super-fast delivery times. Delivery direct from one of our factories is also an option.



Save money – use our warehouse



Standard or customized products



High-quality products


All of our existing and new products undergo strict quality control in our state-of-the-art testing



Eco-friendly



Easy to do business with





Making life easier for our customers is important to us and we therefore focus a lot of energy on developing useful IT tools that can help with this. On this page you can see an overview of some of the solutions we have come up with – which you get access to with a web login.

Benefits of being a TEFCOLD customer with a web shop login:

- Buy 24/7 at your convenience, in your local language
- Always with your agreed prices and potential warranty agreements
- Possibility to buy on credit
- See your transport costs immediately based on calculated loading meters
- Real time stock info

- Date of arrival if a product is sold out
- Customer center with status on orders and invoices as well as tracking codes
- Access to additional documents like product drawings, electrical diagrams, energy labels etc.
- MediaBank with all product images ready for download
- Live XML feed so you can integrate our products to your web shop
- PDF offer function use our web shop to make offers for your customers
- Comparison function compare different products to make an informed decision
- Create favorite lists for e.g. different product groups, projects, customers



TEFCOLD A/S

Industrivej 25 8800 Viborg Denmark

T: +45 8660 1933 E: sales@tefcold.com

tefcold.com

TEFCOLD SK s.r.o.

Vlčie hrdlo 50 821 07 Bratislava Slovensko

T: +421 911 770 462 E: elektro@tefcold.com tefcold.sk

TOPCOLD (BE)

LICHTENBERGLAAN 1023 3800 Sint-Truiden Belgium

T: +32 (0) 11 / 782 698 E: receptie@topcold.be topcold.be

Mondial Groupe (FR)

65 route de Grenoble 38690 Châbons

T: +33 4 76 65 00 92

E: mondial@mondialgroup.fr mondialgroupe.fr

TEFCOLD (CZ)

28. října 2020/231 709 00 Ostrava-Mariánské Hory Česká republika

T: +420 595 696 615 E: vo@tefcold.com tefcold.cz

TEFCOLD (UK)*

West Meadow Rise Castle Donington Derby | DE74 2HL | UK

T: +44 (0) 1332 850090 E: sales@tefcold.co.uk tefcold.co.uk

*TEFCOLD (UK) is a trading name of Interlevin Refrigeration Ltd